



C3900(C)

David Brian EDWARDS; William John MCCARTHY; Patricia RICHARDSON

A WATER SOLUBLE PACKAGE

Ress Mail Label No.: EK417758657US Date Deposited: Docket No.:

March 14, 2000

99-0271-UNI

To:

Assistant Commissioner for Patents

Box: Patent Application Washington, D.C. 20231

APPLICATION ELEMENTS

- [X] Fee Calculation (Box 13) and Authorization (Triplicate copies of this form are enclosed)
- [X] Specification and Claims (18) Total Pages 2.
- [X] Formal Drawings (5) Total Sheets 3.
- [X] Executed Declaration 4.
- [] Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)
 - a. [] Computer Readable Copy
 - b. [] Paper copy (identical to computer copy)
 - c. [] Statement verifying identify of above copies.

ACCOMPANYING APPLICATION PARTS

- 6. Information Disclosure Statement (IDS)/PTO-1449
- 7. [] Copies of IDS citations
- [X] Preliminary Amendment
- 9. [X] Two (2) Return Receipt Postcards
- 10. Tell Certified Copy of Priority Document
- 11. [X] The benefit under 35 U.S.C. § 119 is claimed of the filing of United Kingdom Application No. 9906175.6 filed March 17, 1999.
- 12. 1 Other:

F

13. [X] The FILING FEE (including any claims introduced or cancelled by Preliminary Amendment) is calculated below:

			CLAIMS			
FOR	NUME FILED		NUMBER EXTRA		RATE	BASIC FEE \$690.00
Total Claims	14	- 20		Х	\$ 18.00	
Independent Claims	3 -	3		X	\$ 78.00	
Multiple Claims	Yes	<u>No</u>		x	\$260.00	
TOTAL FILING FEE						\$690.00

- 14. [X] Charge \$690.00 to Deposit Acct. #12-1155. Triplicate copies of this letter are enclosed.
- 15. [X] The Commissioner is hereby authorized to charge any additional fees, which may be required, including all required fees under

[X] 37 C.F.R. § 1.16;

[X] 37 C.F.R. § 1.17;

[X] 37 C.F.R. § 1.18.

16. [X] Correspondence Address:

Unilever Patent Department

45 River Road

Edgewater, New Jersey 07020

Respectfully submitted,

Rimma Mitelman

Attorney of Record

Reg. #34,396

RM/mv (201) 840-2671

newutil.tl Revised 10/07/99 Express Mail Label No.: EK417758657US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Edwards et al.

Deposited:

March 14, 2000

For:

A WATER SOLUBLE PACKAGE

Edgewater, New Jersey 07020

March 14, 2000

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

With regard to the above-identified application filed concurrently herewith, please amend the following:

In the Claims:

Claim 3, line 1, please delete the words "or claim 2".

Claim 4, line 1, please delete the words "or claim 2".

Claim 5, line 1, please <u>replace</u> the words "any one of claims 1 to 4" with --claim 1--.

Claim 6, line 1, please <u>replace</u> the words "any one of claims 1 to 5" with --claim 1--.

Claim 7, line 1, please <u>replace</u> the words "any one of claims 1 to 6" with --claim 1--.

RM/mv

(201) 840-2671

Claim 8, line 1, please <u>replace</u> the words "any one of claims 1 to 7" with --claim 1--.

Claim 9, line 1, please <u>replace</u> the words "any one of claims 1 to 8" with --claim 1--.

Claim 13, line 1, please delete the words "or claim 12".

Claim 14, line 2, please <u>replace</u> the words "any of claims 1 to 10" with --claim 1--.

Respectfully submitted,

Rimma Mitelman Reg. No. 34,396

Attorney for Applicant(s)

15

20

25

30

35

- 1 -

A WATER SOLUBLE PACKAGE

INTRODUCTION

The invention relates to a water soluble package containing a fluid substance for release on dissolution of the package.

Detergent compositions for the machine washing of laundry are provided in many forms. Probably the most prevalent form of laundry detergent is washing powder or granules. A problem with the use of these forms of detergent is that the product needs to be dosed into the machine in such a way that the detergent is quickly and thoroughly dissolved in the wash water of the machine without coming into contact with the laundry in a solid form. In this regard many dosing devices which seek to overcome this problem have been proposed. One such device disclosed in European Patent Nos. 0 343 070 and 0 343 069 teaches the use of a flexible fabric sock which holds the particulate detergent in the machine, the fabric of the sock being permeable to water so as to allow water enter the sock and carry the detergent out of the sock through the fabric walls in the form of an aqueous solution. More recently unit dose forms of detergent have been proposed in the form of compressed tablets of detergent powder. A problem encountered with the provision of detergent tablets is that the tablets need to be strong enough to withstand storage and transport, yet weak enough to disintegrate and dissolve quickly in the washing machine. A further problem is the need to prevent the tablets "posting" in the porthole and between the drums of conventional washing machines. More recently these problems have been addressed by the provision of detergent tablets having specific chemical disintegrants which allow quick disintegration of the tablets in the aqueous environment of a washing machine, and by the provision of loosely fitting

net bags which aid tablet disintegration and prevent "posting". However, as many of the current detergent tablets contain bleach and other irritant substances, the problem of handling the tablets remains.

5

10

15

20

35

The provision of detergent compositions in water-soluble films has been known for some time. Most of the documents relating to this subject describe water soluble film envelopes formed using a vertical form-fill-seal (VFFS) route. A problem with envelopes produced using this VFFS method is that, due to the constraints of the process, the resultant envelopes have seals which incorporate defined weak points where the seals overlap at corners. This results in envelopes which are easily corrupted as a result of impacts suffered during transport. In an attempt to overcome the problems associated with such VFFS envelopes, European Patent Application No. 0 608 910 describes thermoformed water soluble packages for pesticidal compositions. While this specification attempts to provide a solution to the problem of weak seals, the packages of EP-A-0608910 have other weak points and are designed specifically for containing pesticidal compositions.

The packaging and transport of water soluble packages

containing fluid substances subjects the formed packages to
considerable impact forces. A particular problem is that
when a number of such packages are loose packed in a larger
container which is then transported, the impact forces
suffered by the packages within the container can be severe.

The difficulty is that in such a situation it only takes one
package in the larger container to break for the whole
product to be ruined as far as the consumer is concerned
because the fluid contents of the broken package may leak
over any unbroken packages. Consumer confidence in a

product is likely to be badly damaged by such an occurrence.

10

30

35

- 3 -

The problem of minimising breakage to an acceptable level is particularly acute in the area of laundry detergents and other domestic consumer products and has not been solved until now.

It is an object of the invention to overcome at least some of the above disadvantages. It is a particular object of the invention to provide a water soluble package containing a fluid substance for release on dissolution of the package, which package has greater rupture resistance compared to known water-soluble packages.

STATEMENT OF INVENTION

15 According to the invention, there is provided a water soluble package containing a fluid substance for release on dissolution of the package, characterised in that the package has a body portion for containing the substance comprising a first sheet of a water soluble material

20 thermoformed to form a body wall of the body portion, and a second sheet of water soluble material superposed on the first sheet and sealed thereto along a continuous region of the superposed sheets to form a base wall of the body portion, and in that the body portion of the package is generally dome shaped.

The applicants have surprisingly discovered that the above mentioned problems and disadvantages of prior art water soluble packages are substantially addressed by the packages according to the invention. In particular, the invention yields water soluble packages which are sufficiently robust to withstand (to a commercially acceptable level) the rigours of packaging and transport even when the fluid substance inside the package is a domestic consumer product such as a laundry detergent. The combination of

25

30

35

thermoforming the packages of the invention and forming the packages into a dome shape confers surprising advantages on the packages of the invention. It is thought that thermoforming reduces stress on the film during forming compared to other forming techniques. As will be shown below, applicants have found that the dome is a shape which yields greater uniformity of film thickness over the package and greater impact resistance of the package.

In a preferred embodiment of the invention, the maximum height of the body wall above the base wall is preferably less than or equal to the maximum width of the base wall. The base wall is preferably generally circular but other dome shaped body portions according to the invention are envisaged. For example, dome shapes having rectangular, oval, square and triangular bases are envisaged. Preferably, the base of the dome will be substantially flat. Alternatively, the base may be somewhat concave or convex. In any case the resulting package is aysmmetrical about the base wall, although of course there can be one or more planes of symmetry perpendicular to the base wall.

The water soluble film, at least of the body wall, is thermoformable and, in one embodiment of the invention, is polyvinyl alcohol, or a polyvinyl alcohol derivative. Preferably the water soluble film of the base wall is the same material as that used to make the body wall. It is important that the body wall be thermoformed rather than cold formed because applicants have discovered that cold forming stresses the film and weakens the end package as a result.

Preferably, the thermoformed body wall of a package according to the invention is of substantially uniform thickness. By "substantially uniform" it is meant that at

any measured point the thickness of the thermoformed film is preferably less than about $\pm 25\%$, even more preferably less than about $\pm 20\%$ and most preferably less than about $\pm 15\%$, different from the original thickness of the film prethermoforming.

Preferably the film has a thickness of between 10 and 1000 microns. More preferably the film has a thickness of between 20 and 80 microns, most preferably between 40 and 60 microns.

In one embodiment of the invention, an exterior surface of the film is treated with $BITREX^{TM}$ to discourage ingestion of the package of the invention by children.

15

20

25

30

10

5

The substance contained within the package may be a liquid, a gel or a paste. If the substance is a liquid then preferably the liquid has a viscosity between 100 and 1000 centipoise, more preferably between 300 and 800 centipoise, even more preferably between 500 and 700 centipoise, and most preferably about 600 centipoise, when measured at 20°C at 105s⁻¹. In a preferred embodiment of the invention the substance is present in an amount of between 10 and 500ml, preferably between 10 and 100ml, most preferably between 10 and 50ml. Suitably, the capsule contains between 20 and 30ml of a fluid composition. In a particularly preferred embodiment of the invention the fluid composition is a laundry treatment agent such as a laundry detergent, fabric conditioner or fabric care formulation. However, other compositions for domestic consumer use may be envisaged, such as disinfectants, personal care products, and the like. Preferably the composition is substantially non-aqueous, however the composition may comprise some water, for example between about 1 and about 5% water

The invention also relates to a process for producing a package according to the invention, the process comprising the steps of:

- thermoforming a first sheet of a water soluble material to form a domed body wall of the body portion;
 - placing the fluid substance in the body portion;
- superposing a second sheet of a water soluble material over the first sheet; and
 - heat sealing the first and second sheets along a continuous region of the superposed sheets surrounding the substance to form a base wall of the body portion.

In one preferred process the first sheet of water-soluble material is thermoformed by means of a heating plate. Preferably, the sheet of water-soluble material intimately contacts the heating plate, typically by applying a vacuum 20 between the heating plate and the sheet of water-soluble material. Generally, the vacuum applied will be of less than 0.6 Bar. Alternatively the sheet may be blown into contact with the heating plate. The thermoforming sheet can be blown or sucked off the heating plate and into a suitable 25 dome-shaped mould. In one aspect of the invention, the process includes an additional step of, prior to the addition of the fluid substance, applying a vacuum to the thermoformed body wall to maintain the shape of the body 30 portion at least until after the heat sealing step.

The invention also relates to a process for the machine washing of laundry by employing a package according to the invention, wherein the fluid substance contained within the

package comprises a laundry treatment agent, the process comprising the steps of:

- placing at least one package into the machine along with
 the laundry to be washed; and
 - carrying out a washing operation.

Detailed Description of the Invention

10

15

20

i,n

The packages of the invention are illustrated with reference to the drawings in which:

Figures 1a, 1b, 1c and 1d show different views of a first package according to the invention in which the base wall of the body portion is circular.

Figures 2a, 2b, 2c and 2d show different views of a second package according to the invention in which the base wall of the body portion is square.

Figures 3a, 3b, 3c and 3d show different views of a third package according to the invention in which the base wall of the body portion is oval.

Figures 4a, 4b, 4c and 4d show different views of a fourth package according to the invention in which the base wall of the body portion is triangular.

25 Figures 5a, 5b, 5c and 5d show different views of a fifth package according to the invention in which the base wall of the body portion is rectangular.

EXAMPLE

30

35

In this example a thermoforming process is described where a number of packages according to the invention are produced from two sheets of water soluble material. In this regard recesses are formed in the sheet using a forming die having a plurality of cavities with dimensions corresponding

generally to the dimensions of the packages to be produced. Further, a single heating plate is used for thermoforming the film for all the cavities, and in the same way a single sealing plate is described.

5

10

15

20

25

The lim the first

L.

A first sheet of polyvinyl alcohol film is drawn over a forming die so that the film is placed over the plurality of forming cavities in the die. Each cavity is generally dome shape having a round edge, the edges of the cavities further being radiussed to remove any sharp edges which might damage the film during the forming or sealing steps of the process. Each cavity further includes a raised surrounding flange. In order to maximise package strength; the film is delivered to the forming die in a crease free form and with minimum tension. In the forming step, the film is heated to 100 to 120°C, preferably approximately 110°C, for up to 5 seconds, preferably approximately 700 micro seconds. A heating plate is used to heat the film, which plate is positioned to superpose the forming die. During this preheating step, a vacuum of 0.5 bar is pulled through the pre-heating plate to ensure intimate contact between the film and the pre-heating plate, this intimate contact ensuring that the film is heated evenly and uniformly (the extent of the vacuum is dependant of the thermoforming conditions and the type of film used, however in the present context a vacuum of less than 0.6 bar was found to be suitable) Non-uniform heating results in a formed package having weak spots. In addition to the vacuum, it is possible to blow air against the film to force it into intimate contact with the preheating plate.

30

The thermoformed film is moulded into the cavities blowing the film off the heating plate and/or by sucking the film into the cavities thus forming a plurality of recesses in the film which, once formed, are retained in their thermoformed orientation by the application of a vacuum

And the state of t

10

15

20

25

30

35

through the walls of the cavities. This vacuum is maintained at least until the packages are sealed. Once the recesses are formed and held in position by the vacuum, the composition, in this case a non-aqueous liquid detergent is added to each of the recesses. A second sheet of polyvinyl alcohol film is then superposed on the first sheet across the filled recesses and heat-sealed thereto using a sealing plate. In this case the heat sealing plate, which is generally flat, operates at a temperature of about 140 to 160°C, and contacts the films for 1 to 2 seconds and with a force of 8 to 30kg/cm², preferably 10 to 20kg/cm². The raised flanges surrounding each cavity ensure that the films are sealed together along the flange to form a continuous seal. The radiussed edge of each cavity is at least partly formed by a resiliently deformable material, such as for example silicone rubber. This results in reduced force being applied at the inner edge of the sealing flange to avoid heat/pressure damage to the film.

Once sealed, the packages formed are separated from the web of sheet film using cutting means. At this stage it is possible to release the vacuum on the die, and eject the formed packages from the forming die. In this way the packages are formed, filled and sealed while nesting in the forming die. In addition they may be cut while in the forming die as well.

During the forming, filling and sealing steps of the process, the relative humidity of the atmosphere is controlled to ca. 50% humidity. This is done to maintain the heat sealing characteristics of the film. When handling thinner films, it may be necessary to reduce the relative humidity to ensure that the films have a relatively low degree of plasticisation and are therefore stiffer and easier to handle.

EXPERIMENTAL DETERMINATION OF OPTIMUM PACKAGE SHAPE

i) Film Thinning During Thermoforming

- The objective of this experimental work was to create thermoformed packages different shapes from the same material under the same conditions with the same depth of draw and approximately the same volume.
- 10 The formed packages were then tested for thickness at specific points using a micrometer. The results were then compared between shapes,

The conditions used were:

15 Film:

Polyvinyl alcohol (supplied

By Chris Craft under

Reference CC8534)

Thickness:

75µm

20 Volume of cavity:

Approx. 30ml

Atmospheric condition:


17°C, 46% RH

Micrometer sensitivity:

5µm

Measurement points

25




The rectangular shape shown is used only as an example to show the various points.

For a dome shaped package only points A & E are the same.

Points B, C and D are all equivalent in the dome shape and they were represented by Point F below.

10



The results were as follows:

15

John Jack Mary Level Son Harty Hart

			Measurement in microns					
Shape	Sample	Draw Depth	A	В	С	D	E	F
Dome	1	20mm	60				70	65
	2	"	65				60	65
<u> </u>	3	"	65				60	60
Triangle	1	w	50	50	45	30	65	
	2	"	55	55	40	25	55	
	3	"	55	55	40	25	60	
Dome	4	25mm	60				70	70
	5	"	65				70	70
	6	W.	65				65	70
Cube	1	w.	55	40	20	15	35	
	2	"	65	35	25	20	35	
	3	"	60	40	25	20	40	

These results show that while thinning always takes place on thermoforming:

- 20
- a) for the dome shape thinning is uniform over the test points; and
- b) the dome has a lower level of thinning than the others over the test points.

- 12 -

ii) Impact Testing

The objective of this test was to show any differences, which exist, between the impact resistance of the dome shape and other shapes.

A falling dart impact test was used.

The test specimen was placed on a hard surface immediately below the suspended dart. The dart was allowed to fall, striking the specimen centrally. The specimen was then examined and any rupture or leak recorded. If there was no rupture or leak, the specimen was subjected to successive impacts, each at a higher dart weight, until rupture did occur.

Three shapes of package were used, all of the same material, fill and approximate weight and size. The test was repeated on both sides of the package (base side up and base side down) and several replicates were tested and a mean taken.

Before testing all specimens were exposed to the conditions of the test site for 12 hours to reach equilibrium. Test details were:

25

20

Dart: smooth hemispherical impact surface of

38mm diameter

Drop height:

615mm

Surface: Smooth non-resilient plate

30 Conditions: 20°C, 70% RH

Dome, triangle (ie triangular pyramid) and cube shapes were tested.

15

- 13 -

Each package was formed from polyvinyl alcohol supplied by Chris Craft under reference CC8534. The film thickness was $75\mu m$.

5 Results were as follows:

Sample	Shape	Orientation	No. of Drops	Dart Weight to Rupture	Observations
1	Dome	Base Up	3	250g	Small hole mid base
2	Triangle	"	2	150g	2 holes in edges
3	Cube	n	2	150g	3 or more holes in corners & edge
4	Dome	Base Down	4	350g	hole in base

The above results show that the impact resistance of dome is greater than the cube or triangle.

iii) Secondary Packaging Test

This experimental test was designed to establish any difference in impact survival between dome shaped packages and triangular packages of a liquid detergent product when multiple packages are contained in fibreboard box

22 dome-shaped packages according to the invention, containing a liquid laundry detergent, were placed randomly in a fibreboard box. The box was made of "M-flute" material of dimensions 170 x 85 x 54 mm which had a total filled weight of 609g.

The box was sealed closed and subjected to a vertical drop of 1.2 m on to a hard flat surface on the short dimensions.

This test was repeated for triangular packages of the same weight and film.

- 14 -

The results of the test were that 3 out of the 22 dome shaped packages were found to have a small amount of leakage but with the triangular packages, 7 of the 22 were leaking and in 5 cases leakage was very severe.

CLAIMS

- 1. A water soluble package containing a fluid substance for release on dissolution of the package, characterised in that the package has a body portion for containing the substance comprising a first sheet of a water soluble material thermoformed to form a body wall of the body portion, and a second sheet of water soluble material superposed on the first sheet and sealed thereto along a
- superposed on the first sheet and sealed thereto along a continuous region of the superposed sheets to form a base wall of the body portion, and in that the body portion of the package is generally dome shaped.
- 15 2. A package according to claim 1, characterised in that the maximum height of the body wall above the base wall is less than or equal to the maximum width of the base wall.
- 20 3. A package according to claim 1 or claim 2, characterised in that the base wall is generally circular.
 - 4. A capsule according to claim 1 or claim 2, characterised in that the base wall is generally oval.
 - 5. A package according to any one of claims 1 to 4, characterised in that the base wall is generally flat, or slightly concave or convex.
- 30 6. A package according to any one of claims 1 to 5, characterised in that the first sheet of water-soluble film comprises polyvinyl alcohol or a polyvinyl alcohol derivative.

10

ijij.

20

25

30

7. A package according to any one of claims 1 to 6, characterised in that the second sheet of water soluble material comprises polyvinyl alcohol or a polyvinyl alcohol derivative.

8. A package according to any one of claims 1 to 7, characterised in that the fluid substance is a liquid, paste or a gel.

- 9. A package according to any one of claims 1 to 8, characterised in that the fluid substance is a domestic consumer product.
- 15 10. A package according to claim 9, characterised in that the substance is a laundry detergent composition.
 - 11. A process for producing a water soluble package having a body portion containing a fluid substance for release on dissolution of the package, characterised in that the process comprises the steps of:
 - thermoforming a first sheet of a water soluble material to form a domed body wall of the body portion;
 - placing the fluid substance in the body portion;
 - superposing a second sheet of a water soluble material over the first sheet; and
 - heat sealing the first and second sheets along a continuous region of the superposed sheets surrounding the substance to form a base wall of the body portion.

10

15

20

The state and then the think that

į

3:


- 12. A process according to claim 11, characterised in that the first sheet of water-soluble material is thermoformed by means of a heating plate.
- 13. A process according to claim 11 or claim 12, characterised in that prior to the addition of the substance a vacuum is applied to the thermoformed body wall to maintain the shape of the body portion at least until after the heat sealing step.
- 14. A process for the machine washing of laundry by employing a package according to any of claims 1 to 10, characterised in that the fluid substance contained within the package comprises a laundry treatment agent, the process comprising the steps of:
- placing at least one package into the machine along with the laundry to be washed; and
- carrying out a washing operation.

ABSTRACT


A water soluble package containing a fluid substance for release on dissolution of the package, the package having a dome shaped body portion for containing the fluid substance comprising a first sheet of a water soluble material thermoformed to form a body wall of the body portion, and a second sheet of water soluble material superposed on the first sheet and sealed thereto along a continuous region of the superposed sheets to form a base wall of the body portion.


15


10





}




















PCT APPLICATION NUMBER

PCT Filing Date

COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY (includes Reservance to PCT International Applications) ATTORNEY'S DOCKET NUMBER C3900(C)						
As a below named inventor, I hereb	y declare that:					
My residence, post office address a	nd citizenship are as stated below ne	xt to my name,				
I believe I am the original, first and below) of the subject matter which	sole inventor (if only one name listed is solaimed and for which a patent is solaimed A WATER SOLU!	lought on the invention ent	and joint in atled:	ventor (if pl	ural names are listed	
the specification of which (c	theck only one item below):					
is attached hereto.	on analisasian Carlal Na					
and was amended on	es application Serial No					
was filed as PCT International application on and was amended under PCT Article 19 on (if applicable) hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.						
acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).						
I hereby claim foreign priority benefits under Title 35, United States Code \$119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:						
PRIOR FOREIGN/PCT APPLIC	CATION(S) AND ANY PRIORIT	Y CLAIMS UNDER 35	5 U.S.C.	119:		
COUNTRY (if PCT indicate PCT)	APPLICATION NUMBER	APPLICATION NUMBER DATE OF FILING PRIORITY CL (day,month,year) UNDER 35 U				
UNITED KINGDOM	9906175.6	17 th March 199	99	X YES	☐ NO	
				YES	□ NO	
				YES	□ №	
designating the United States of A not disclosed in that /those prior acknowledge the duty to disclose	Title 35, United States Code §120 of the state of the sta	nsofar as the subject matte ed by the first paragraph le 37, Code of Federal Reg	or of each of Title 3 pulations §	of the claim 5, United S	s of this application is states Code §112.	
PRIOR U.S. PROVISIONAL A	APPLICATION(S) FOR BENEFIT	UNDER 35 U.S.C. 1	19 (e):			
APPLICATION NUMBER		DATE OF FILING (day, month, year)			·)	
	•					
I hereby claim the benefit under Title 35, United States Code §120 of any United States application(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that /those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code §112. I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations §1.56 (a) which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application. PRIOR U.S. APPLICATIONS OR PCT INTERNATIONAL APPLICATIONS DESIGNATING THE U.S. FOR BENEFIT UNDER 35 U.S.C. 120.						
U.S. APPLICATION(S)	STATUS (CHECK ONE)					
U.S. APPLICATION NUMBER		DATENTED	DENIDIA	IC	ABANDONED	
U.S. AFFEICATION NUIVIBER	R U.S Filing Date	PATENTED	PENDIN	10	ADAMDUMED	
PCT APPLICATIONS DESIGN	PCT APPLICATIONS DESIGNATING THE U.S.					

U.S Serial Numbers Assigned (if any)

COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY (continued) (includes Reference to PCT International Applications)	C3900(C)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (List name and registration number)

James J. Farrell, Esq., Reg. 26,162 Milton L. Honig, Esq., Reg. 28,617

Gerard J. McGowan, Jr., Esq., Reg. 29,412

Neil Y. Gilbert, Esq., Reg. 35,156

Ronald A. Koatz, Esq., Reg. 31,774 Rimma Mitelman, Reg. 34,396 Edward A. Squillante, Jr., Reg. 38,319 Alan A. Bornstein, Reg. 40,919

Matthew Boxer, Reg. 28,495

Send correspondence to:

Direct Telephone Calls to: (name and telephone #)

Patent Department James J Farrell

Unilever United States, Inc. (201) 943 7100 - ext. 2332

45 River Road, Edgewater, NJ 07020

201

Full Name of Inventor	Family, Name	First Given Name	Second Given Name
	EDWARDS	David	Brian
Residence & Citizenship	City	State or Foreign Country	Country of Citizenship
	Stevenage	United Kingdom	United Kingdom
Post Office Address	Post Office Address	City	State & Zip Code/Country
	88 Hayfield, Chells Manor	Stevenage, Hertfordshire, SG2 7JR	United Kingdom

202

Full Name of Inventor	Family Name	First Given Name	Second Given Name
niventoi	McCARTHY	William	John
Residence & Citizenship	City	State or Foreign Country	Country of Citizenship
	Shaftesbury	United Kingdom	United Kingdom
Post Office Address	Post Office Address	City	State & Zip Code/Country
	1 Sunnybank Cottages, Donhead St. Mary	Shaftesbury, Dorset, SP7 9DL	United Kingdom

203

Full Name of inventor	Family Name	First Given Name	Second Given Name
	RICHARDSON	Patricia	-
Residence & _ Citizenship	City	State or Foreign Country	Country of Citizenship
	Kingston-upon-Thames	United Kingdom	Zimbabwean
Post Office	Post Office Address	City	State & Zip Code/Country
Address	C/o Lever Brothers Limited, Lever House, 3 St. James's Road	Kingston-upon-Thames, Surrey, KT1 2BA	United Kingdom

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that wilful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such wilful false statements may jeopardize the validity of the application or any patent issuing thereon.

Signature of Inventor 201	Signature of Inventor 202	Signature of Inventor 203
Soul Brown todurents		
Date 18th February 2000	Date	Date

COMBINED DICLARATION FO	POWER OF ATTORNEY	ATTORNEY'S DOCKET NUMBER C3900(C)			
As a below named inventor. I hereby	declare that:				
My residence, post office address ar	nd citizenship are as stated below nex	t to my name,			
	ole inventor (if only one name listed b is claimed and for which a patent is so A WATER SOLUE	ought on the invention entitled:	ventor (if plural names are listed		
the specification of which (c.					
is attached hereto.	es application Serial No	20			
and was amended on	(if applicable)	JII			
was filed as PCT Internal		on			
	and understand the contents of the ab	ove-identified specification, including	g the claims, as amended by any		
I acknowledge the duty to disclose (Federal Regulations, §1.56(a).	nformation which is material to the pa	itentability of this application in acco	rdance with Title 37, Code of		
I hereby claim foreign priority benefits under Title 35, United States Code §119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:					
PRIOR FOREIGN/PCT APPLIC	ATION(S) AND ANY PRIORIT	Y CLAIMS UNDER 35 U.S.C.	119:		
COUNTRY (if PCT indicate PCT)	APPLICATION NUMBER	DATE OF FILING (day,month,year)	PRIORITY CLAIMED UNDER 35 USC 119		
UNITED KINGDOM	9906175.6	17 th March 1999	⊠ YES □ NO		
			YES NO		
			YES NO		
I hereby claim the benefit under Title 35, United States Code §120 of any United States application(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that /those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code §112. I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations §1.56 (a) which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application.					
PRIOR U.S. PROVISIONAL APPLICATION(S) FOR BENEFIT UNDER 35 U.S.C. 119 (e):					
APPLICATION NUMBER DATE OF FILING (day, month, year)					
designating the United States of A not disclosed in that /those prior acknowledge the duty to disclose	Title 35, United States Code §120 of merica that is/are listed below and, in application(s) in the manner provide material information as defined in Titleon(s) and the national or PCT internation.	nsofar as the subject matter of each and by the first paragraph of Title 3 e 37, Code of Federal Regulations §	of the claims of this application is 35, United States Code §112.		

PRIOR U.S. APPLICATIONS OR PCT INTERNATIONAL APPLICATIONS DESIGNATING THE U.S. FOR BENEFIT UNDER 35 U.S.C. 120.

U.S. APPLICATION(S)	STATUS (CHECK ON	Ε)		
U.S. APPLICATION NUMBER	U.S Filing Date	PATENTED	PENDING	ABANDONED
PCT APPLICATIONS DESIGNAT	TING THE U.S.			
PCT APPLICATION NUMBER	PCT Filing Date	U.S Serial Num	nbers Assigned (if	any)



	ATTORNEY DOCKET NUMBER
COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY (CONTINUED)	C3900(C)
(includes Reference to PCT International Applications)	C3900(C)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (List name and registration number)

James J. Farrell, Esq., Reg. 26,162 Milton L. Honig, Esq., Reg. 28,617 Ronald A. Koatz, Esq., Reg. 31,774 Rimma Mitelman, Reg. 34,396

Gerard J. McGowan, Jr , Esq., Reg. 29,412

Neil Y Gilbert, Esq., Reg. 35,156

Matthew Boxer, Reg. 28,495 Edward A. Squillante, Jr., Reg. 38,319 Alan A. Bornstein, Reg. 40,919

Send correspondence to: Patent Department

Direct Telephone Calls to: (name and telephone #)

James J Farrell

Unilever United States, Inc.

(201) 943 7100 - ext. 2332

45 River Road, Edgewater, NJ 07020

201

Full Name of	Family, Name	First Given Name	Second Given Name
inventor			
	EDWARDS	David	Brian
Residence &	City	State or Foreign Country	Country of Citizenship
Citizenship			
	Stevenage	United Kingdom	United Kingdom
Post Office	Post Office Address	City	State & Zip Code/Country
Address			
	88 Hayfield, Chells Manor	Stevenage, Hertfordshire, SG2 7JR	United Kingdom

202

Full Name of inventor	Family Name	First Given Name	Second Given Name
	McCARTHY	William	John
Residence & Citizenship	City	State or Foreign Country	Country of Citizenship
	Shaftesbury	United Kingdom	United Kingdom
Post Office Address	Post Office Address	City	State & Zip Code/Country
	1 Sunnybank Cottages, Donhead St. Mary	Shaftesbury, Dorset, SP7 9DL	United Kingdom

203

Full Name of	Family Name	First Given Name	Second Given Name
Inventor	RICHARDSON	Patricia	-
Residence & Citizensnip	City	State or Foreign Country	Country of Citizensnip
	Kingston-upon-Thames	United Kingdom	Zimbabwean
Post Office	Post Office Address	City	State & Zip Code/Country
Address	C/o Lever Brothers Limited, Lever House, 3 St. James's Road	Kingston-upon-Thames, Surrey, KT1 2BA	United Kingdom

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that wilful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such wilful false statements may jeopardize the validity of the application or any patent issuing thereon.

Signature of Inventor 201	Signature of Inventor 202	Signature of Inventor 203 FIRE CHARDSON Muchanile
Date	Date	Date 25/2/cc

COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY Includes 3 ference to PCT International Applications) ATTORNEY'S DOCKET NUMBER C3900(C)					
As a below named inventor, I hereby declare that:					
My residence, post office address and citizenship are as stated below next to my name,					
	believe I am the original, first and sole inventor (if only one name listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: A WATER SOLUBLE PACKAGE				
the specification of which (c	heck only one item below):				
	is attached hereto.				
was filed as United State	es application Serial No		on	-	
was filed as PCT Interna	tional application		on	·	
and was amended under PCT Article 19 or	n			g the claims,	as amended by any
l acknowledge the duty to disclose referral Regulations, §1.56(a).	nformation which is material to the pa	atentability of this applicati	on in acco	rdance with	Title 37, Code of
I hereby claim foreign priority benefits under Title 35, United States Code §119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:					
PRIOR FOREIGN/PCT APPLIC	CATION(S) AND ANY PRIORIT	Y CLAIMS UNDER 3	5 U.S.C.	119:	
COUNTRY (If PCT Indicate PCT)	APPLICATION NUMBER	DATE OF FILIN (day,month,year			Y CLAIMED 35 USC 119
UNITED KINGDOM	9906175.6	17 th March 199	9	X YES	☐ NO
				YES	□ NO
				YES	□ NO
designating the United States of A not disclosed in that /those prior acknowledge the duty to disclose	Title 35, United States Code \$120 of the control of	nsofar as the subject matte ed by the first paragraph le 37, Code of Federal Reg	er of each of Title 3 julations §	of the claim 35, United S	s of this application is states Code §112. I
PRIOR U.S. PROVISIONAL A	APPLICATION(S) FOR BENEFIT	UNDER 35 U.S.C. 1	19 (e):		
APPLICATION NUMBER		DATE OF FILING	(day, m	onth, year)
	•				
I hereby claim the benefit under Title 35, United States Code §120 of any United States application(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that /those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code §112. I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations §1.56 (a) which occurred between the filling date of the prior application(s) and the national or PCT international filling date of this application. PRIOR U.S. APPLICATIONS OR PCT INTERNATIONAL APPLICATIONS DESIGNATING THE U.S. FOR BENEFIT UNDER 35 U.S.C. 120.					
U.S. APPLICATION(S)	STATUS (CHECK ONE)				
U.S. APPLICATION NUMBER	R U.S Filing Date	PATENTED	PENDI	NG	ABANDONED

U.S. APPLICATION(S)	STATUS (CHECK ON	E)			
U.S. APPLICATION NUMBER	U.S Filing Date	PATENTED	PENDING	ABANDONED	
PCT APPLICATIONS DESIGNATING THE U.S.					
PCT APPLICATION NUMBER	PCT APPLICATION NUMBER PCT Filing Date U.S Serial Numbers Assigned (if any)				



H	CONTRIBUTE DECLARATION FOR PATENT APPLICATION AND CONTRIBUTE OF A TRANSPORT	ATTORNEY DOCKET NUMBER
۱	COME:NED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY (CONTINUED)	C3900(C)
1	(includes Reference to PCT International Applications)	C3900(C)
48	• • • • • • • • • • • • • • • • • • • •	1

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (List name and registration number)

Ronald A. Koatz, Esq., Reg. 31,774

James J. Farrell, Esq., Reg. 26,162 Milton L. Honig, Esq., Reg. 28,617

Gerard J. McGowan, Jr., Esq., Reg. 29,412

Neil Y Gilbert, Esq., Reg. 35,156

Rimma Mitelman, Reg. 34,396 Matthew Boxer, Reg. 28,495 Edward A. Squillante, Jr., Reg. 38,319 Alan A. Bornstein, Reg. 40,919

Send correspondence to:

Direct Telephone Calls to: (name and telephone #)

Patent Department

Unilever United States, Inc.

(201) 943 7100 - ext. 2332

45 River Road, Edgewater, NJ 07020

201

Full Name of inventor	Family, Name	First Given Name	Second Given Name
Wive Moi	EDWARDS	David	Brian
Residence & Citizenship	City	State or Foreign Country	Country of Citizenship
·	Stevenage	United Kingdom	United Kingdom
Post Office Address	Post Office Address	City	State & Zip Code/Country
	88 Hayfield, Chells Manor	Stevenage, Hertfordshire, SG2 7JR	United Kingdom

202

Full Name of Inventor	Family Name	First Given Name	Second Given Name
	McCARTHY	William	John
Residence & Citizenship	City	State or Foreign Country	Country of Citizenship
,	Shaftesbury	United Kingdom	United Kingdom
Post Office Address	Post Office Address	City	State & Zip Code/Country
	1 Sunnybank Cottages, Donhead St. Mary	Shaftesbury, Dorset, SP7 9DL	United Kingdom

203

Full Name of	Family Name	First Given Name	Second Given Name
Inventor	RICHARDSON	Patricia	-
Residence & Citizenship	City	State or Foreign Country	Country of Citizenship
	Kingston-upon-Thames	United Kingdom	Zimbabwean
Post Office	Post Office Address	City	State & Zip Code/Country
Address	C/o Lever Brothers Limited, Lever House, 3 St. James's Road	Kingston-upon-Thames, Surrey, KT1 2BA	United Kingdom

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that wilful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such wilful false statements may jeopardize the validity of the application or any patent issuing thereon.

Signature of Inventor 201	Signature of Inventor 202	Signature of Inventor 203
	Dellin John M. Centy	
Date	Date 29 February 2000	Date